


# Cambridge O Level

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		



CHEMISTRY 5070/21

Paper 2 Theory October/November 2022

1 hour 30 minutes

You must answer on the question paper.

No additional materials are needed.

#### **INSTRUCTIONS**

- Section A: answer all questions.
- Section B: answer three questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

#### **INFORMATION**

- The total mark for this paper is 75.
- The number of marks for each question or part question is shown in brackets [ ].
- The Periodic Table is printed in the question paper.

### **Section A**

Answer all the questions in this section in the spaces provided.

The total mark for this section is 45.

1 The diagram shows part of the Periodic Table.

I	Ш							III	IV	V	VI	VII	VIII			
													N	0		
Na											Al	Si			Cl	
K	Ca			Cr		Fe		Ni		Zn						
	Sr								Ag							
	Ва															

Answer the following questions using only the symbols of the elements in the diagram.

Each symbol may be used once, more than once or not at all.

Give the symbol of the element that:

(a)	is a catalyst in the hydrogenation of alkenes	
		[1]
(b)	is extracted by electrolysis of its oxide dissolved in cryolite	
		[1]
(c)	is a metal below copper in the reactivity series	
		[1]
(d)	is a gas used in welding	
		[1]
(e)	forms an ion with a charge of -1.	
		[1]

[Total: 5]

**2** Carbon dioxide is a gas at room temperature.

(a)	(1)	molecule.	ЭE
		Show only the outer shell electrons.	
			[2]
	(ii)	Describe the motion and separation of the particles in a gas.	
		motion	
		separation	
			[2]
(b)	The	main processes in the carbon cycle are combustion, respiration and photosynthesis.	
	(i)	Name the products of photosynthesis.	
		and [	[1]
	(ii)	Some of the reactions in photosynthesis involve enzymes.	
		State the meaning of the term <i>enzyme</i> .	
		[	[1]
(c)	Car	bon dioxide is formed when hydrocarbons are completely combusted.	
	(i)	Name the other product of the complete combustion of hydrocarbons.	
		[	[1]
	(ii)	The paraffin (kerosene) fraction from the fractional distillation of petroleum (crude contains hydrocarbons.	oil)
		State <b>one</b> use of the paraffin (kerosene) fraction.	
		[	[1]
		[Total:	8]

The	alkenes are a homologous series of hydrocarbons.
(a)	Give the general formula for the alkenes.
	[1]
(b)	The structure of an alkene is shown.
	H H H H
	(i) Name this alkene.
	(ii) Explain how this structure shows that alkenes are:  unsaturated
	hydrocarbons
	[2]
(c)	Alkenes are produced by cracking some fractions obtained from the fractional distillation of petroleum (crude oil).
	State the meaning of the term <i>cracking</i> .
	[2]
(d)	Carbon monoxide is formed when alkenes undergo incomplete combustion.
	State <b>one</b> effect of carbon monoxide on health.
	[1]

(e)	Alk	enes react with bromine to form compounds containing carbon, hydrogen and bromine.
	(i)	A compound contains 22.2% carbon, 3.70% hydrogen and 74.1% bromine by mass.
		Calculate the empirical formula of this compound.
		empirical formula[2]
	(ii)	A different compound of carbon, hydrogen and bromine has the empirical formula ${\rm C_3H_2Br.}$
		The relative molecular mass of this compound is 236.
		Deduce the molecular formula of this compound.
		molecular formula[1]
		[Total: 10]

Thi	s que	estion is about ammonia and ammonium salts.	
(a)	Am	monia is manufactured by the Haber process.	
	(i)	Name the catalyst used in the Haber process.	
			[1]
	(ii)	Explain how a catalyst increases the rate of reaction.	
			[1]
(b)	Am	monium phosphate, (NH <sub>4</sub> ) <sub>3</sub> PO <sub>4</sub> , is a fertiliser.	
	Cal	culate the percentage by mass of nitrogen in ammonium phosphate.	
	Giv	e your answer to <b>three</b> significant figures.	
		percentage by mass =	[3]
(c)	Fer	tilisers can make soil more acidic.	
	(i)	State the name of a compound used to decrease the acidity of soil.	
			[1]
	(ii)	Explain how this compound decreases the acidity of soil.	
			[1]


(d) Ammonia is formed by the reduction of nitrogen(I) oxide,  $N_2O$ , with hydrogen.

The reaction is exothermic.

$$\mathrm{N_2O} \ + \ \mathrm{4H_2} \ \longrightarrow \ \mathrm{2NH_3} \ + \ \mathrm{H_2O}$$

Complete and label the energy profile diagram for this reaction to include:

- the reactants and products
- the enthalpy change of the reaction.



[2]

(e) Copper(II) oxide, CuO, reacts with ammonia.

The products are copper, nitrogen and a liquid which turns blue cobalt(II) chloride paper pink.

Construct the equation for this reaction.

.....[2]

[Total: 11]

11118	s que	stion is about metals and metal compounds.	
(a)	Mag	gnesium reacts with aqueous iron(II) ions.	
		$Mg + Fe^{2+} \rightarrow Mg^{2+} + Fe$	
	Exp	plain why this reaction involves <b>both</b> oxidation and reduction.	
	Use	e the equation and ideas about electron transfer in your answer.	
			. [2]
(b)	Exp	plain why iron conducts electricity.	
			. [1]
(c)	Exp	plain why magnesium is extracted by electrolysis and not by reduction with carbon.	
			. [1]
(d)		scribe a chemical test to distinguish between aqueous iron(II) ions and aqueous iron(II) ions.	∍ous
	test		
	obs	ervations with aqueous iron(II) ions	
	obs	ervations with aqueous iron(III) ions	
			[3]
(e)	(i)	Explain why molten magnesium chloride conducts electricity.	
			. [1]
	(ii)	Predict the products formed at the anode and the cathode when molten magnes chloride is electrolysed.	sium
		anode	
		cathode	
			[2]

(f)	Food containers can be made from aluminium.
	State <b>one</b> property of aluminium that makes it suitable for use as a food container.
	[1]
	[Total: 11]

#### **Section B**

Answer three questions from this section in the spaces provided.

The total mark for this section is 30.

- 6 This question is about compounds of nitrogen.
  - (a) The equation represents the equilibrium between N<sub>2</sub>O<sub>4</sub> and NO<sub>2</sub> at a high temperature in a closed container.

$$N_2O_4(g) \iff 2NO_2(g)$$

(i)	Predict what happens to the position of equilibrium when the pressure is decreased.
	Explain your answer.
	prediction
	explanation

(ii) The table shows the concentration of  ${\rm NO}_2$  in the closed container at three different temperatures.

[2]

temperature in °C	concentration of NO <sub>2</sub> in mol/dm <sup>3</sup>
100	0.04
150	0.40
200	4.00

State what this information shows about the enthalpy change of the forward reaction.

Explain your answer.	
enthalpy change	
explanation	
	 [2]

(b)		ogen dioxide, $NO_2$ , is made by heating lead(II) nitrate, $Pb(NO_3)_2$ . so other products are lead(II) oxide and a gas which relights a glowing splint.	
	(i)	Construct the equation for this reaction.	
			[2]
	(ii)	Nitrogen dioxide contributes to acid rain.	
		State <b>one</b> effect of acid rain on organisms.	
			[1]
(c)	Nitr	ic acid, HNO <sub>3</sub> , is a strong acid.	
	(i)	State the meaning of the term strong in strong acid.	
			[1]
	(ii)	Suggest a pH value for a concentrated solution of a strong acid.	
			[1]
	(iii)	Complete the ionic equation for the reaction of an acid with an alkali.	
		$H^+$ + $\rightarrow$ $H_2O$	[1]
		[Total:	10]

7 This augustion is about also hale and notion	
7 This question is about alcohols and polym	ers

Deduce the molecular f	ormula of th	is compound
------------------------	--------------	-------------

	- 4 -
· ·	11
· ·	

**(b)** An isomer of butanol has the structure shown.

(i)	State the	meaning	of the	term	isom	erism.

[1

(ii) Draw the structure of a different isomer of butanol.

[1]

(iii) Butanol reacts with ethanoic acid,  ${\rm CH_3COOH}$ , to form an ester.


Name this ester.

Draw the structure of this ester. Show all of the atoms and all of the bonds.

name of ester .....

structure of ester

(c) The partial structure of a polyester is shown.



Draw the structures of the two monomers used to make this polyester.

			[2]
(d)	Ter	ylene is a polyester.	
	(i)	State <b>one</b> use of <i>Terylene</i> .	
			[1]
	(ii)	Name a naturally occurring molecule which has the same ester linkage as <i>Terylene</i> .	
			[1]
(e)	Sta	rch is a polymer which can be hydrolysed.	
	Sta	te the meaning of the term hydrolysis.	
			[1]
		[Total:	10]

This	s question is about meta	als and metal compounds.						
(a)	Brass is an alloy of cop	oper and zinc.						
	Brass is less malleable than either copper or zinc.							
	Explain, with reference copper or zinc.	e to the structure of metals, wh	ny brass is less malleable than either					
	You may include a labe	elled diagram in your answer.						
			[3]					
(b)	The table shows the re	eactivity of four metals with cold	water and with steam.					
	metal	reactivity with cold water	roactivity with steam					
	chromium	reactivity with cold water	reactivity with steam					
	mercury	none	none					
	potassium	very fast	explosive					
	uranium	very slow	slow					
	Put the four metals in	order of increasing reactivity.						
	Tut the four metals in t	order of increasing reactivity.						
	least reactive ——		→ most reactive					
			[1]					
(c)	The full symbol of an id	on of mercury is shown.						
		<sup>199</sup> <sub>80</sub> Hg <sup>2+</sup>						
	Deduce the number of	electrons and neutrons in this ic	on.					
	number of electrons							
	number of neutrons							
			[2]					

(d)	The	formula of chromium(III) sulfate crystals is $\text{Cr}_2(\text{SO}_4)_3$ •18H <sub>2</sub> O.	
	Stat	te the name given to the water present in $Cr_2(SO_4)_3$ •18H <sub>2</sub> O.	
			[1]
(e)	(i)	Aqueous bromine reacts with aqueous potassium iodide.	
		The products of the reaction are aqueous iodine and aqueous potassium bromide.	
		Construct the ionic equation, including state symbols, for this reaction.	
			[2]
	(ii)	Explain, in terms of the reactivity of the halogens, why aqueous iodine does <b>not</b> re with aqueous potassium bromide.	act
			[1]
		[Total:	10]

9	(a)	Zinc	oowder	reacts	with	dilute	hvo	drochl	oric	acid	
•	(4)	21110	J0 W 401	louoto	VVICII	anato	ııy (		OHIO	aoia	٠

$${\rm Zn} \ + \ {\rm 2HC} \, l \ \rightarrow \ {\rm ZnC} \, l_2 \ + \ {\rm H}_2$$

When  $20.0\,\mathrm{cm^3}$  of dilute hydrochloric acid is added to excess zinc, the volume of hydrogen gas produced at room temperature and pressure is  $60.0\,\mathrm{cm^3}$ .

			. 0		
/: Y	Calaudata tha		:   / -d \( \)	af tha al:1ta	hydrochloric acid.
	i Caicillale inc	ronceniralion .	III III() /() II)~	OI INA AIII IIA	nvarachiaric acia
	Calculate the	, concontinuition,	III IIIOI/ GIII ,	or tire dilute	my and our morne acid.

		concentration mol/dm <sup>3</sup>	[3]
	(ii)	The reaction is repeated using large pieces of zinc instead of zinc powder. All ot conditions stay the same.	her
		Describe how the rate of reaction changes.	
		Explain your answer using ideas about collisions between particles.	
			[2]
(b)	Dilu	te hydrochloric acid is electrolysed.	
	Con	struct an ionic equation for the reaction at the cathode.	
			[1]
(c)	Zinc	is used to prevent iron from rusting.	
	(i)	State the essential conditions needed for rusting.	
			[1]
	(ii)	Explain how zinc prevents iron from rusting by the method of sacrificial protection.	
			[2]
	(iii)	Give <b>one</b> example of the use of sacrificial protection.	
			[1]

[Total: 10]

## **BLANK PAGE**

## **BLANK PAGE**

### **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

	=	2 He	helium 4	10	Ne	neon 20	18	Ar	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon			
	=>			6	ш	fluorine 19	17	Cl	chlorine 35.5	35	Ŗ	bromine 80	53	Н	iodine 127	85	¥	astatine -			
	>			8	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>a</u>	tellurium 128	84	Ро	polonium	116		livermorium -
	>			7	z	nitrogen 14	15	<b>스</b>	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	<u>.</u>	bismuth 209			
	≥			9	ပ	carbon 12	14	:S	silicon 28	32	Ge	germanium 73	20	S	tin 119	82	Ъ	lead 207	114	LΙ	flerovium —
	=			22	В	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	lT	thallium 204			
										30	Zn	zinc 65	48	පි	cadmium 112	80	Нg	mercury 201	112	ე	copemicium —
										59	Cn	copper 64	47	Ag	silver 108	62	Au	gold 197	111	Rg	roentgenium -
Group										28	Ë	nickel 59	46	Pq	palladium 106	78	చ	platinum 195	110	Ds	darmstadtium -
Ģ										27	රි	cobalt 59	45	뫈	rhodium 103	77	'n	iridium 192	109	Ĭ	meitnerium -
		- エ	hydrogen 1							26	Fe	iron 56	44	R	ruthenium 101	92	SO	osmium 190	108	H	hassium -
										25	Mn	manganese 55	43	ပ	technetium -	75	Re	rhenium 186	107	Bh	bohrium —
				_	pol	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≥	tungsten 184	106	Sg	seaborgium -
			Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	qN	niobium 93	73	Б	tantalum 181	105	Op	dubnium —
					atc	rek				22	j	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	꿒	rutherfordium -
										21	Sc	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	Š	strontium 88	56	Ba	barium 137	88	Ra	radium -
	_			3	=	lithium 7	#	Na	sodium 23	19	×	potassium 39	37	&	rubidium 85	22	S	caesium 133	87	ቷ	francium -

71	lutetium 175	103	ت	lawrencium -
02 A	ytterbium 173	102	9 N	nobelium –
69 L	thulium 169	101	Md	mendelevium —
88 п	erbium 167	100	Fm	fermium -
29 19	holmium 165	66	Es	einsteinium –
% %	dysprosium 163	86	ŭ	califomium —
65 Th	terbium 159	26	番	berkelium —
64 PC	gadolinium 157	96	CB	curium —
63 <u>T</u>	europium 152	92	Am	americium —
62 <b>Sm</b>	samarium 150	94	Pu	plutonium —
61 <b>Dm</b>	promethium -	93	Ν	neptunium —
09	neodymium 144	92	$\supset$	uranium 238
59 <b>Q</b>	praseodymium	91	Ра	protactinium 231
58 م	cerium 140	06	드	thorium 232
57	lanthanum 139	88	Ac	actinium -

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).