



Cambridge O Level

BIOLOGY

5090/62

Paper 6 Alternative to Practical

October/November 2021

MARK SCHEME

Maximum Mark: 40

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2021 series for most Cambridge IGCSE™, Cambridge International A and AS Level components and some Cambridge O Level components.

This document consists of **7** printed pages.

PUBLISHED**Generic Marking Principles**

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always **whole marks** (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Science-Specific Marking Principles

1 Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.

2 The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.

3 Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).

4 The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.

5 'List rule' guidance

For questions that require *n* responses (e.g. State **two** reasons ...):

- The response should be read as continuous prose, even when numbered answer spaces are provided.
- Any response marked *ignore* in the mark scheme should not count towards *n*.
- Incorrect responses should not be awarded credit but will still count towards *n*.
- Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should **not** be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response.
- Non-contradictory responses after the first *n* responses may be ignored even if they include incorrect science.

6 Calculation specific guidance

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form (e.g. $a \times 10^n$) in which the convention of restricting the value of the coefficient (a) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

7 Guidance for chemical equations

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

Mark schemes will use these abbreviations:

; separates marking points

/ alternatives

() contents of brackets are not required but should be implied

R reject

A accept (for answers correctly cued by the question, or guidance for examiners)

lg ignore (for incorrect but irrelevant responses)

AW alternative wording (where responses vary more than usual)

AVP alternative valid point (where a greater than usual variety of responses is expected)

ORA or reverse argument

underline actual word underlined must be used by candidate

+ statements on both sides of the + are needed for that mark

Question	Answer	Marks	Guidance																							
1(a)	<i>glucose</i> Benedict's ; <i>protein</i> biuret ;	2																								
1(b)(i)	wax pencil / water-resistant marker or pen ;	1																								
1(b)(ii)	appropriate test-tube labels entered into table – must be short and appropriate for writing on test-tubes <table border="1" data-bbox="338 480 887 810"> <thead> <tr> <th data-bbox="338 480 495 545">solution</th> <th data-bbox="495 480 640 545">test</th> <th data-bbox="640 480 887 545">test-tube label</th> </tr> </thead> <tbody> <tr> <td data-bbox="338 545 495 611" rowspan="2">A</td> <td data-bbox="495 545 640 611">glucose</td> <td data-bbox="640 545 887 611">GA / AG</td> </tr> <tr> <td data-bbox="495 611 640 676">protein</td> <td data-bbox="640 611 887 676">PA / AP</td> </tr> <tr> <td data-bbox="338 676 495 742" rowspan="2">B</td> <td data-bbox="495 676 640 742">glucose</td> <td data-bbox="640 676 887 742">GB / BG</td> </tr> <tr> <td data-bbox="495 742 640 807">protein</td> <td data-bbox="640 742 887 807">PB / BP</td> </tr> </tbody> </table>	solution	test	test-tube label	A	glucose	GA / AG	protein	PA / AP	B	glucose	GB / BG	protein	PB / BP	1	A glu A and pro B etc.										
solution	test	test-tube label																								
A	glucose	GA / AG																								
	protein	PA / AP																								
B	glucose	GB / BG																								
	protein	PB / BP																								
1(b)(iii)	<table border="1" data-bbox="338 839 1290 1238"> <thead> <tr> <th data-bbox="338 839 427 904"><i>sol</i></th> <th data-bbox="427 839 573 904"><i>test</i></th> <th data-bbox="573 839 719 904"><i>t-t label</i></th> <th data-bbox="719 839 909 904"><i>observation</i></th> <th data-bbox="909 839 1290 904"><i>conclusion</i></th> </tr> </thead> <tbody> <tr> <td data-bbox="338 904 427 1008" rowspan="2">A</td> <td data-bbox="427 904 573 1008"><i>glucose</i></td> <td data-bbox="573 904 719 1008">–</td> <td data-bbox="719 904 909 1008">pale blue</td> <td data-bbox="909 904 1290 1008">no glucose / –ve / none / absent</td> </tr> <tr> <td data-bbox="427 1008 573 1112"><i>protein</i></td> <td data-bbox="573 1008 719 1112">–</td> <td data-bbox="719 1008 909 1112">pale blue</td> <td data-bbox="909 1008 1290 1112">no protein / –ve / none / absent</td> </tr> <tr> <td data-bbox="338 1112 427 1216" rowspan="2">B</td> <td data-bbox="427 1112 573 1216"><i>glucose</i></td> <td data-bbox="573 1112 719 1216">–</td> <td data-bbox="719 1112 909 1216">orange</td> <td data-bbox="909 1112 1290 1216">glucose present / + ve</td> </tr> <tr> <td data-bbox="427 1216 573 1319"><i>protein</i></td> <td data-bbox="573 1216 719 1319">–</td> <td data-bbox="719 1216 909 1319">purple</td> <td data-bbox="909 1216 1290 1319">protein present / + ve</td> </tr> </tbody> </table> <p data-bbox="338 1278 1290 1414">8 cells completed ; <i>observations</i>: correctly transferred from student's notebook ; <i>conclusions</i>: no glucose + no protein in A ; glucose + protein in B ;</p>	<i>sol</i>	<i>test</i>	<i>t-t label</i>	<i>observation</i>	<i>conclusion</i>	A	<i>glucose</i>	–	pale blue	no glucose / –ve / none / absent	<i>protein</i>	–	pale blue	no protein / –ve / none / absent	B	<i>glucose</i>	–	orange	glucose present / + ve	<i>protein</i>	–	purple	protein present / + ve	4	1g test-tube labels
<i>sol</i>	<i>test</i>	<i>t-t label</i>	<i>observation</i>	<i>conclusion</i>																						
A	<i>glucose</i>	–	pale blue	no glucose / –ve / none / absent																						
	<i>protein</i>	–	pale blue	no protein / –ve / none / absent																						
B	<i>glucose</i>	–	orange	glucose present / + ve																						
	<i>protein</i>	–	purple	protein present / + ve																						

Question	Answer	Marks	Guidance
1(c)(i)	syringe / measuring cylinder / <u>graduated</u> pipette / burette ;	1	
1(c)(ii)	to ensure there is no <u>solution B</u> on the outside of the tube AW ;	1	
1(d)(i)	same temperature for Benedict's ; same time in hot water ; same volumes, of Benedict's / biuret / reagents / solution / used ; same concentration, of Benedict's / biuret / reagents / used ;	2	
1(d)(ii)	permeable to glucose ; not permeable / impermeable to protein ; semi-permeable / partially permeable ;	3	
1(e)(i)	level or volume in Visking tubing / B went up ; level or volume in large test-tube / A went down ;	2	
1(e)(ii)	<u>osmosis</u> ;	1	

Question	Answer	Marks	Guidance
2(a)(i)	allow the plant to equilibrate / get used to new conditions AW ;	1	
2(a)(ii)	2.8 ;	1	
2(a)(iii)	time on x-axis + both axes fully labelled with units ; continuous scales + over half of grid used for plot ; all points plotted correctly ; straight lines drawn between points plotted + no extrapolation ; lines labelled / key used ;	5	
2(a)(iv)	transpiration rate faster / greater rate in moving air ORA ; bubble moved 7.6 cm in five minutes in moving air / rate calculated ; bubble moved 5.0 cm in five minutes still air / rate calculated ;	3	1.5 or 1.52 cm / min in moving air 1 cm / min in still air
2(b)(i)	$(7.6 - 5.9) = 1.7$;	1	

Question	Answer	Marks	Guidance
2(b)(ii)	17×0.785 ; =13.35 ;	2	
2(c)	temperature ; humidity ; light ; speed of air movement ; species / size of plant / size of leaves ;	2	

Question	Answer	Marks	Guidance
3(a)	guard cells at least 30 mm long + delimited ; sharp pencil + continuous lines drawn for guard cells and stoma + no shading anywhere ; stoma + 6 cells drawn ; nuclei shown in all cells drawn + correct position ;	4	
3(b)	13 -15 ; measurement / 0.07 ; correct answer ;	3	